

Tork Universal Handtuch grün Lagenfalzung

Farbe: Grün



Vorteile

- •Zuverlässiges, bekanntes System
- •Erfüllt Ihre grundlegenden Anforderungen







Produkteigenschaften

Artikel	System	Lagen	Bedruckt	Geprägt	Farbe
290233	H3 – Handtuch System (Classic)	1	Nein	Ja	Grün

Versanddaten

Verbrauchseinheit

EAN	7310791047959	
Stück	160	
Material	Banderole	
Höhe	100 mm	
Breite	100 mm	
Länge	250 mm	
Volumen	2.5 dm3	
Nettogewicht	577 g	
Bruttogewicht	584 g	

Transporteinheit

EAN	7310791047966	
Stück	3200	
Verbrauchseinhei ten	20	
Material	Carton	
Höhe	262 mm	
Breite	401 mm	
Länge	596 mm	
Volumen	62.6 dm3	
Nettogewicht	11.53 kg	
Bruttogewicht	12.22 kg	

Palette

EAN	7322540188370	
Stück	89600	
Verbrauchseinhei ten	560	
Höhe	1984 mm	
Breite	800 mm	
Länge	1200 mm	
Volumen	1.8 m3	
Nettogewicht	322.90 kg	
Bruttogewicht	342.13 kg	



Umweltschutz

Content

Recycled fibres, Chemicals

Material

Recycled fibresRecovered paper can be produced both from collected newsprint, magazines and office waste. The paper is washed with water and treated with chemicals under high temperature and then filtered. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important. The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material. Bleaching of fibresBleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety. There are different methods used today for bleaching ECF (elementary chlorine free(where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view . The used functional chemicals are:Wetstrength agentDry strength agentDye=if coloured Fixing agentsFluorescent whitening agentGlue=if usedThe process chemicals are:AntipitchProtection agentYankee coatingDefoamerDispersing agents and surfactantspH and charge controlRetention aidsBroke treatment chemicalsDrainage aid

Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes Environmental label = EcolabelThis product is approved for Blue Angel.

Date of issue 2007-11-06

Revision date 2009-07-23

Production

This product is produced at Kostheim mill, Germany, and certified according to ISO 9001:2000, ISO 14001 and EMAS.



Destruction

This product is mainly used for personal hygiene and can be collected together with household waste.

